


PVC Electrical Conduit & Fittings



We deliver the power ...



SUPERMOON LIMITED **sonepar**
hong kong

超滿有限公司 香港沙田火炭黃竹洋街9-13號仁興中心1006室

Unit 1006, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., H.K.

Tel/電話: (852) 2691 9166

Fax/傳真: (852) 2693 2927

E-mail/電子郵件: mail@supermoonltd.com

Website/網址: www.supermoonltd.com


DIETZEL
UNIVOLT

PVC RIGID CONDUIT - Plain

Colour: white

Standard colour: white	Standard length: 4m	Temperature rating: -5°C to + 60°C
------------------------	---------------------	------------------------------------

Manufactured from Super High Impact PVC to IEC 60423, IEC 60614-2-2 (former BS 6099), IEC 61386-21 and BS EN 50086-2-1.



HEAVY GAUGE, 1250N <IEC405 - EN4221>

Size mm.	Part Number	Std. Pack
20	BSSH 20	100m (25x4m)
25	BSSH 25	100m (25x4m)
32	BSSH 32	100m (25x4m)
40	BSSH 40	40m (10x4m)

PVC CONDUIT FITTINGS

Colour: white

to BS 4607 Part 5 where applicable

ADAPTORS Female Thread & Male Bush



Size mm.	Part Number	Std. Pack
20	AFT + MBS 20	1800
25	AFT + MBS 25	900
32	AFT + MBS 32	500
40	AFT + MBS 40	300



SM

COUPLERS PVC

Size mm.	Part Number	Std. Pack
20	SM 20	1400
25	SM 25	900
32	SM 32	500
40	SM 40	200

SPACER BAR SADDLES



SBS

Size mm.	Part Number	Std. Pack
20	SBS 20	1000
25	SBS 25	900
32	SBS 32	500
40	SBS 40	200



CL

CLIPS

Size mm.	Part Number	Std. Pack
20	CL 20	2800
25	CL 25	2000
32	CL 32	1400
40	CL 40	500

PVC CONDUIT CIRCULAR BOXES

Colour: white

TERMINAL One Way


THROUGH Two Way

TEE Three Way


INTERSECTION Four Way




CB 20/1



CB 20/2



CB 20/3



CB 20/4

ANGLE Two Way

CIRCULAR BOXES




CB 20/A

Size mm.	Part Number	Description	Std. Pack
20	CB 20/1	TERMINAL-One Way	PVC conduit circular boxes 200
20	CB 20/2	THROUGH-Two Way	PVC conduit circular boxes 190
20	CB 20/3	TEE-Three Way	PVC conduit circular boxes 160
20	CB 20/4	INTERSECTION-Four Way	PVC conduit circular boxes 160
20	CB 20/A	ANGLE-Two Way	PVC conduit circular boxes 200


PVC CONDUIT SWITCH & SOCKET BOXES

Colour: white

to BS 4662 where applicable



SB 20/1



SB 20/2

FLUSH TYPE

Size mm.	Part Number	Description	Std. Pack
1-GANG 75x75x47	SB 20/1	8x20mm knockouts	200
2-GANG 135x75x47	SB 20/2	12x20mm knockouts	120


PVC CONDUIT ENCLOSURE BOXES

Colour: white

IP 65 Moulded Type



PKG 100




PKG 200

BOXES WITH FLAT LID


Size mm.	Part Number	Description	Std. Pack
105x105x64	PKG 100 OP	plain sides	5
200x150x85	PKG 200 OP	plain sides	2

PVC CONDUIT SQUARE JUNCTION BOXES


Colour: white



AKG 100



AKG 150



AKG 225

SQUARE JUNCTION BOXES

For underplaster installations, with knockouts or closed sides, with overlapping or inserted Lids.

Size mm.	Part Number	Description	Std. Pack
100x100x50mm	AKG 100	plain sides	100
100x100x75mm	AKG 100	plain sides	100
150x150x75mm	AKG 150	plain sides	40
225x225x75mm	AKG 225	plain sides	30

CEMENT FOR PVC CONDUIT



VKS 500/1

SEALING CEMENT FOR PVC CONDUIT

Size ml	Part Number	Description	Std. Pack
500ml / tin	VKS 500/1	screw cap tin with applicator brush	1x24